



SAKKAB DOORS

مجموعة سكّاب للأبواب

WPC PRODUCT CATALOG

2026

كتالوج منتجات الخشب البلاستيكي

- **WATERPROOF**
مقاوم للماء
- **ECO FRIENDLY**
صديق للبيئة
- **FIRE RETARDANT**
مقاوم للحريق
- **TERMITE PROOF**
مضاد للنمل الأبيض

sakkabdoors.ae

UAE · SYRIA

أبوظبي · العين · دمشق

EXTRUSION · ASSEMBLY · COMPOUND · HIDDEN

DOORS · FRAMES · WALL PANELS · CABINETS



COMPANY PROFILE

نبذة عن الشركة

SAKKAB DOORS GROUP is a specialized manufacturer and supplier of high-performance doors and architectural systems across the United Arab Emirates and Syria. Under one umbrella we deliver WPC doors, composite doors, and engineered aluminum openings — manufactured to last and specified to elevate the building.

مجموعة سكّاب للأبواب متخصصة في تصنيع وتوريد الأبواب عالية الأداء والأنظمة المعمارية في دولة الإمارات العربية المتحدة وسوريا.

From our facilities and showrooms in Abu Dhabi and Al Ain to our branch in Damascus, the same uncompromising standard applies: waterproof performance, refined finishes, and long-term warranties that protect the investment of homeowners, developers, and hospitality projects.

من منشآتنا وصالات العرض في أبوظبي والعين إلى فرعنا في دمشق، نلتزم بالمعيار نفسه دون مساومة: أداء مقاوم للماء، تشطيبات راقية، وضمانات طويلة الأمد.

What we stand for

- Doors built to last — properties built to be inherited.
- Global execution standards on every project.
- Comprehensive warranty on products and services.
- Continuous innovation in WPC, composite and aluminum.

Product families

- WPC doors — moisture-proof, termite-proof, fire-retardant interior doors.
- Composite doors — lightweight, thermally efficient, weather-ready.
- Aluminum doors — architectural presence with high security.

قيمنا

أبواب تُصنع لتدوم. عقارات تُبنى لتُورث.
معايير تنفيذ عالمية في كل مشروع.
ضمان شامل على المنتجات والخدمات.
ابتكار مستمر في WPC والخشبوزيت والألمنيوم.

عائلات المنتجات

أبواب WPC مقاومة للرطوبة والنمل الأبيض والحريق.
أبواب خشبوزيت خفيفة وعازلة حرارياً.
أبواب ألمنيوم بهيئة معمارية وأمان عالٍ.

WHY WPC

Wood-plastic composite (WPC) is an environmentally responsible, recyclable building material extruded from treated wood fiber and selected polymers. It combines the workability of wood with the dimensional stability and processing flexibility of plastic.

الخشب البلاستيكي المركَّب (WPC) مادة بناء صديقة للبيئة وقابلة لإعادة التدوير، تُنتَق من ألياف خشبية معالجة وبوليمرات مختارة.

WPC overcomes the natural weaknesses of timber — warping, cracking, water damage and insect attack — and the typical weaknesses of plastic — aging, poor cold/heat performance and limited post-processing. The result is a quiet, stable door that looks like fine wood and behaves like an engineered product.

تتغلب مادة WPC على عيوب الخشب الطبيعية من التمدد والتشقق وتلف الماء والحشرات، وعلى عيوب البلاستيك من التقادم وضعف التحمل الحراري.

Where it is used

- Interior door leaves, frames, architraves and skirting.
- Wall panels, louvers and decorative profiles.
- Bathroom and balcony cabinets in wet zones.
- Hospitality, healthcare and residential projects.

مجالات الاستخدام

ضلف الأبواب الداخلية والأطر وخطوط الأبواب والوزرات.
ألواح الجدران والشرائح والخطوط الزخرفية.
خزائن الحمام والشرفة في المناطق الرطبة.
المشاريع الفندقية والصحية والسكنية.

WPC ADVANTAGES

- One-time extrusion — 100% WPC body, no cracking, no deformation.
- Waterproof and moisture-proof — suitable for wet rooms and humid climates.
- Zero formaldehyde — healthier indoor air, eco-friendly.
- Anti-mildew and anti-bacterial surface treatment.
- Fire-retardant performance reaching national Class B standard.
- High tensile and impact strength — durable for decades.
- Easy to clean — nano surface, no painting, washable with water.
- Termite-proof and recyclable.

Available thicknesses: 35 mm / 40 mm / 45 mm / 60 mm. Widths typically 500-1200 mm. Height customized to the opening. Surface options include PVC film lamination, transfer printing and paint. CNC design skins 3-4 mm.
السماكات المتوفرة: 35 و 40 و 45 و 60 ملم. العرض عادة من 500 إلى 1200 ملم. الارتفاع حسب الطلب.

مزايا أبواب سَكَّاب WPC

- قولبة واحدة — جسم WPC بالكامل بدون تشقق أو انبعاج.
- مقاوم للماء والرطوبة — مناسب للحمامات والمناخ الرطب.
- خالي من الفورمالدهيد — هواء داخلي أصح وصديق للبيئة.
- معالجة سطحية مضادة للعفن والبكتيريا.
- أداء مقاوم للحريق وفق تصنيف الفئة B.
- مقاومة شدّ وصدم عالية — عمر افتراضي طويل.
- سهل التنظيف — سطح نانو بدون طلاء ويُغسل بالماء.
- مضاد للآكل الأبيض وقابل لإعادة التدوير.

CONTENTS

فهرس الكتالوج

01 Company Profile
ليدة عن الشركة

02 Why WPC
لماذا الخشب البلاستيكي

03 WPC Advantages
مزايا مادة WPC

04 Extrusion Door Series
سلسلة الأبواب المشكلة

05 Assembly Door Series
سلسلة الأبواب المركبة

06 Compound Door Series
السلسلة المركبة

07 Hidden Door Series
سلسلة الأبواب المخفية

08 WPC Door Frames
أطر الأبواب

09 Lines & Accessories
الخطوط والإكسسوارات

10 UPVC Door Series
سلسلة أبواب UPVC

11 Wall Panel & Grille
ألواح الجدران والشبك

12 Bathroom & Balcony Cabinets
خزائن الحمام والشرفة

13 Hardware Accessories
الإكسسوارات المعدنية

14 Door Opening Measurement
طريقة قياس فتحة الباب




WPC EXTRUSION DOOR SERIES

SAKKAB WPC

A variety of styles and colors
for your choice


Green and environmentally friendly,
enjoy your peaceful and comfortable life







SPECIFICATION



- ① 30mm+ Solid end wall thickness for Value hole Omel hinge
- ② 5mm+ Surface thickness
- ③ One time extrusion profile, 100% WPC material, Thickness 35mm/40mm/45mm
- ④ 3-4mm thickness skin for CNC design
- ⑤ High quality PVC sealing with PUR hot glue



35^{Thickness} MM SERIES




Door leaf
 Thickness: 35mm
 Width: 900-1000mm
 Height: can be customized
 Wall thickness: 5mm
 Works for CNC design



upvc/Door leaf
 Thickness: 35mm
 Width: 800mm
 Height: can be customized
 Wall thickness: 2mm
 Works for CNC design



40^{Thickness} MM SERIES



Door leaf

Thickness:40mm


Width:710-900mm

Height:can be customized

Wall thickness 5.5mm

Works for CNC design

45^{Thickness} MM SERIES



Door leaf

Thickness:45mm

Width:710-1200mm

Height: can be customized

Wall thickness: 5.5mm

Works for CNC design



KD25-Z01



KD25-Z05



KD25-MF37



KD25-MF39




KD25-MF40



KD25-MF41



KD25-MF42



KD25-MF43



KD25-8023



KD25-MF21



KD25-MF23



KD25-MF24



KD25-MF47



KD25-MF25



KD25-MF26



KD25-MF27



KD25-MY15



KD25-B16



KD25-B17



KD25-JS18



KD25-JS19



KD25-MF28



KD25-MF29



KD25-MF45



KD25-MF46



KD25-22



KD25-YX



KD25-YX01



KD25-Z15



KD25-Y25



KD25-Y26



WPC ASSEMBLY DOOR SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life




SPECIFICATION

- ① U Frame for easy assembly, Thickness 45mm/60mm
- ② 5mm+ Surface thickness for core panel
- ③ One time extrusion profile, 100% WPC material, Thickness 35mm
- ④ 3-4mm thickness skin for CNC design
- ⑤ No need edge banding




35 MM SERIES



DOOR LEAF 35 mm

Width&Height can be customized





KD25-Y23



KD25-PZ01



KD25-PZ05



KD25-PZ06



KD25-PZ09



KD25-PZ10



KD25-PZ02



KD25-PZ03



WPC COMPOUND DOOR SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life



KD25-MY10



SPECIFICATION

- ① 2.2~3.0mm WPC door skin, for high quality molded door
- ② Wooden skeleton frame
- ③ Flexible core: Extruded polystyrene board/Chipboard/Honeycomb
- ④ High quality PVC edge banding for four sides

DOOR LEAF 35 mm

Width 500-1200 mm

Height can be customized

DOOR LEAF 40 mm

Width 500-1200 mm

Height can be customized

DOOR LEAF 45 mm


Width 500-1200 mm

Height can be customized

DOOR LEAF 60 mm

Width 500-1200 mm

Height can be customized



KD25-MF35



KD25-MY02



KD25-MY10



KD25-MY11



KD25-MY12



KD25-MY13



KD25-MY15



KD25-MY16



KD25-MF34



KD25-MF41



KD25-MF42



KD25-MF43



KD25-MF44



KD25-MF45



KD25-MF46



KD25-MF48



KD25-MF49



KD25-MF50



KD25-MF51



KD25-MF52



KD25-MF53



KD25-MF54



HIDDEN DOOR SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life









STRUCTURE





WPC DOOR FRAMES






LINES & ACCESSORIES


MX404223




MX503012



MX503515




MX603515




MX603814



MX803612




MX805315




MXG983212




MX1005315




MXH1006020




MX1008815




YKY45



KX45




KX50



BLKT40



BLKT45



BLKT20



SX36





UPVC DOOR SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life









KD25-8101



UPVC DOOR LEAF




Door leaf

Thickness: 40mm & 45mm

Width: 710-910mm

Height: can be customized

Wall thickness 3mm



UPVC DOOR FRAMES


MTY90*40




MTY130*40




MTY180*40




MTY220*40



MTY260*40




MXY603215



MXY605215



MXY703410





WALL PANEL SERIES

墙板系列

多种款式、多种颜色供您选择

A variety of styles and colors for your choice

绿色环保，静享您的惬意生活

Green and environmentally friendly, enjoy your peaceful
and comfortable life






BLB9*150



VFB9*300



WFB9*300




VFB9*450



VFB9*600



WFB9*600




WFB9*450



MSB18*1220



1200x2440/3000(6-12mm)





GRILLE PLATE SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life







BATHROOM CABINET SERIES

卫浴柜系列

多种款式、多种颜色供您选择

A variety of styles and colors for your choice

绿色环保，静享您的惬意生活

Green and environmentally friendly, enjoy your peaceful and comfortable life





航天康达防水浴室柜将简约的设计风格，合理的储物空间布局与环保木塑材料相搭配，避开多余的附加装饰，最大限度的体现空间与家具的整体协调，让功能与装饰恰到好处的结合，给你一份简单的宁静，简约，不仅仅是一种生活方式，更是一种生活哲学。

Aerospace Kondak waterproof bathroom cabinets combine simple design style, reasonable storage space layout and environmentally friendly wood-plastic materials to avoid redundant additional decorations and maximize the overall coordination of space and furniture, so that functions and decorations are just right. The combination gives you a simple tranquility. Simplicity is not only a way of life, but also a philosophy of life.



BALCONY CABINET SERIES

SAKKAB WPC

A variety of styles and colors
for your choice

Green and environmentally friendly,
enjoy your peaceful and comfortable life






时尚简约·风格百搭

Stylish and Simplicity Versatile Style

选用高品质防水环保材质，通过巧妙设计，让金属与板材，线条与色彩完美融合，海量空间，脱颖而出“储”。

High-quality waterproof and environmentally friendly materials are selected, and through ingenious design, make metal and boards, lines and colors are perfectly integrated, and produce massive space as for "storage".







HARDWARE ACCESSORIES

Strengthened technology
Long-lasting color

Solid aluminum alloy

No welding, durable and un-easy to break

Living layer
Protect layer
Smooth waxed layer
Chemical polishing layer
High temperature sealing layer



Hardware Accessories



Golden series



Black series



Alumina series



Zine alloy series



Invisible door series



Sliding door series






PROJECT CASES





DOOR OPENING MEASUREMENT

Measurement of wall thickness



Measurement data:
 Thickness of the left wall A1
 Thickness of the right wall A2
 Thickness of the upper wall A3
 Divided into 2 points on the left side, 2 points on the right side, and 2 points on the top
 Fill in the data: The minimum value among the 6 numerical values

Measurement of wall width



Measurement data:
 Width of the lower door opening in B1
 Width of the middle door opening in B2
 Width of the upper door opening in B3
 (divided into 3 points on the left side, 3 points on the right side, and 3 points on the top)
 Fill in the data: The smallest value among the 3 numbers

Measurement of wall height




Measurement data:
 Height of the right door opening in C1
 Height of the middle door opening in C2
 Height of the left door opening in C3
 Divided into 3 points on the left side, 3 points on the right side, and 3 points on the top
 Fill in the data: The smallest value among the 3 numerical values


Measurement precautions:

1. The measurement error should not exceed 10MM. If it exceeds this limit, a re-measurement is required.
2. When measuring the thickness of the door opening, pay attention to whether the wall needs to be decorated with tiles. For areas such as kitchens, balconies, and bathrooms, the thickness of the decoration materials needs to be increased.
3. During the measurement process, pay attention to the ground treatment situation and reserve the thickness of the ground decoration materials.
 (The measurement method is for reference only. The specific method depends on the actual situation on site.)

L-shaped wall



T-shaped wall



Note:
 Special L-shaped walls and T-shaped walls should have false walls (the orange part) made before installation (the width should be no less than 30mm to 40mm)
 (otherwise, door frames and door frame lines cannot be installed);
 The width of the door opening measured should be reduced by the width of the false wall (30mm to 40mm).



CONTACT US

فروع مجموعة سكّاب

UAE — ABU DHABI	الإمارات — أبوظبي
Mohamed Bin Zayed City, Popular 12	مدينة محمد بن زايد، بوبلار 12
+971 50 883 8615	
WhatsApp available	

UAE — AL AIN	الإمارات — العين
Al Noud Companies Area	منطقة شركات النود
+971 50 883 8054	
WhatsApp available	

SYRIA — DAMASCUS	سوريا — دمشق
Sahnaya	صحنايا
+963 984 733 335	
WhatsApp available	

EMAIL

info@sakkabdoors.ae

WEBSITE

www.sakkabdoors.ae

HEAD OFFICE WHATSAPP

+971 2 443 3883

أبواب تُصنع لتدوم. عقارات تُبنى لثَوْرَث.

من مصنعنا في الإمارات إلى مشاريعنا في المنطقة

نفس المعيار الذي لا يُساوَم.